







EPBX10A4V
EPBX10A9W
EPBX14A4V
EPBX14A9W

- ① Holes ·(Ø8.5)· for wall fixation
- ② Water out connection ·(1" F BSP)·
- ③ Water in connection ·(Quick conn M)·
- ④ Backup heater
- ⑤ Pump
- ⑥ User interface
- ⑦ Safety valve Pressure
- ⑧ Air purge
- ⑨ Expansion vessel
- ⑩ Magnetic filter / dirt separator
- ⑪ Flow sensor
- ⑫ Gas sensor
- ⑬ Service door
- ⑭ Switch box terminals
- ⑮ Relay for Smart Grid
- ⑯ Space heating water pressure sensor
- ⑰ Shut-off valve ·(1"-1 1/4 BSP)· (male-female)
- ⑱ Shut-off valve normally closed ··
- ⑲ Switch box terminals for the domestic hot water tank (option)
- ⑳ Power cord routing hole (bottom)
- ㉑ Backup heater power supply
- ㉒ Options



**DETAIL A 1:3
WALL FIXATION**



EPBX10A4V

EPBX10A9W


EPBX14A4V

EPBX14A9W

- ① Space heating - water OUT
- ② Water IN connection
- ③ Gas separator
- ④ Magnetic filter / dirt separator
- ⑤ Safety valve
- ⑥ Air purge
- ⑦ Drain valve
- ⑧ Flow sensor
- ⑨ Gas sensor
- ⑩ Expansion vessel
- ⑪ Backup heater
- ⑫ Pump
- ⑬ Space heating water pressure sensor
- ⑭ R1T - Inlet water thermistor
- ⑮ R2T - Outlet water backup heater thermistor
- ⑯ Hose for air purge
- ⑰ Hose for gas
- ⑱ Drain hose for water


Field piping connections

- ⑲ Screw connection · 1" F·
- ⑳ Quick connection
- ㉑ Shut-off valve · 1"-1"1/4 · (male-female)
- ㉒ Shut-off valve normally closed ·
- ㉓ Drain outlet · ID18·
- ㉔ Screw connection · 1"1/4 F·



 Screw connection	 Brazed connection
 Quick coupling	 Flare connection

EPBX10A4V
EPBX10A9W
EPBX14A4V
EPBX14A9W



EPBX10A4V
EPBX10A9W
EPBX14A4V
EPBX14A9W

