


PAJAK E

1723 ↑ × 631 ⇨ E8 | colour: Raw Copper



PAJAK E

1723↑ × 631↔ E8 | colour: Raw Copper


Radiator sold with:
Angled regulatng valve Brass Wood
Wooden hangers

Radiator made of copper.
Please see how a copper
radiator changes with time.






Connections:




Radiator sold with:

The Pajak comes with wooden hangers as well as angles regulating valve Brass Wood, angled lockshield valve Brass Wood and alupex and copper pipe adapters. All elements provided match the copper colour.


Available sizes:




923 x 431
 ↓ ↔




923 x 531




923 x 631




1323 x 431




1323 x 531




1323 x 631



1723 x 431
 ↓ ↔



1723 x 531




1723 x 631

Specification:


A ↓ [mm]	B ↔ [mm]	[W]	D [mm]	E [mm]	F [mm]	[dm ³]	[kg]	Product code <small>Configuration code p. 6</small>
923	431	300	400	505	196,5	2,07	10,60	WLPAJ092043
923	531	400	500	505	196,5	2,14	11,00	WLPAJ092053
923	631	400	600	505	196,5	2,40	11,90	WLPAJ092063
1323	431	400	400	852	196,5	2,64	12,10	WLPAJ132043
1323	531	400	500	852	196,5	2,71	12,60	WLPAJ132053
1323	631	600	600	852	196,5	2,96	13,50	WLPAJ132063
1723	431	400	400	1162	196,5	3,20	13,70	WLPAJ172043
1723	531	600	500	1162	196,5	3,26	14,10	WLPAJ172053
1723	631	600	600	1162	196,5	3,52	15,10	WLPAJ172063

Technical drawing:



A – Height B – Width C1-C5 – Distance between pipe centres D – Horizontal distance between mounting bracket centres
E – Vertical distance between mounting brackets F – Distance between a mounting bracket and the bottom of the radiator

Pipe:



Coding

Product codes can be found in product data sheet tables. The codes provide some basic information about the product while a partially filled configuration code contains complementary information about the detailed specifications. When placing an order, product codes should include the fully completed configuration part. The configuration code part should be placed after the main product code. The main product code and configuration part will appear as shown in the example below:

Structure of configuration code for electric radiators with a heating medium:

WLPAJ136050

PRODUCT CODE
(located in the table for the product)

KSURE8

CONFIGURATION CODE
(supplemented by hand)

Configuration



Legend




Radiator available in a “water” version.



Radiator suitable for dual fuel connection. Electric heating element can be installed.



Radiator available in electric only version. It comes prefilled with a 'heating medium' and equipped with a heating element. All tested and ready to use.



Connection types dedicated for this radiator.

The icon shows the flow and return connections for the radiator as well as the thermostatic valve and heating element position if applicable.



Suggested heating element power output for electric and dual fuel versions.



Weight.



Capacity.



Available in Chrome finish.



Czaple 100
80-298 Gdańsk
Poland

www.termaheat.com



All information provided in this brochure was valid until printing. In accordance with the motto of Terma Sp. z o.o. that expresses the necessity of constant development, some technical features of products as well as their detail descriptions may vary in the future from their state at the time of this publication.

Download the app from Google Play
and discover all Terma products.

